



# Yatomi DC 043 - Inbound Planning Tool

Version 3.0.0

[Home](#)

[Source Data](#)

[Quality](#)

[Bad Supplier](#)

[Comments](#)

[Report](#)

Manager: Donna Morawiak

Teamleader: Mami Arai

Superuser/Programmer: Ryan Wilson

Purpose: To streamline the inbound planning procedure in order to free up needed resources.

Objective: To automate the pulling and compiling of our information sources in an easy to use, stable and reliable manner.

Procedures to create the Inbound Planning Report...

1. Automated BO Queries (Check finish time)
  - a. CNS-ContainerStatuse (+2Months)
  - b. GTS-ContainerArticles (+2Months)
  - c. GTS-Transit
  - d. ASTRO-L62T1
  - e. RODS-UTG
2. Save Email Attachments
  - a. Save Sankyu email attached file to folder location
  - b. Save GoodsFlow email attached file to folder location
3.



# Yatomi DC 043 - Inbound Planning Tool

[Home](#)


**Source Data**

[Quality](#)

[Bad Supplier](#)

[Comments](#)

[Report](#)





# Yatomi DC 043 - Inbound Planning Tool

[Home](#)[Source Data](#)[Quality](#)[Bad Supplier](#)[Comments](#)[Report](#)

Type

Quality Code

Description...

Container	Consign	Article	Supplier	QCode	Description	ShortID
-----------	---------	---------	----------	-------	-------------	---------



# Yatomi DC 043 - Inbound Planning Tool

[Home](#)[Source Data](#)[Quality](#)[Bad Supplier](#)[Comments](#)[Report](#)Supplier 

Description...

	Bad	Description	ShortID
▶	22047	do not use ULL	8
	21968	Bad Loading Quality	15
	18351	do not use ULL	10
	17220	sofa	13
	16139	QSE-Inspection suspicion	17
	13742	do not use ULL	18
	12413	blue bag/Do not GTR	7
	11001	do not use ULL	16
	10973	Traby	14
			12
			9



# Yatomi DC 043 - Inbound Planning Tool

[Home](#)[Source Data](#)[Quality](#)[Bad Supplier](#)[Comments](#)[Report](#)

Type

Description...

- Container
- Consignment
- Article-Supplier
- Article
- Supplier

Enter

	Container	Consignment	Article	Supplier	Comment	ShortID
			90162998	19585	<FIFO>90162998D/Sが1238以降のものはBlock"512"	349
			98596	21633	<00098596 sup 21633 FIFO>D/Sが1011以降のものはBlock"512"	71
			174910	16654	<00174910>I9 Ground Loc横向き×2 木パしなしでok	361
			190528	12650	<00190528 sup 12650 FIFO>D/Sが1238以降のものはBlock"512"	367
			10091716	14175	<10091716 sup14175 FIFO>D/Sが0852以降のものはBlock"512"	12
			10158245	21789	<10158245 sup 21789 FIFO>D/Sが1152以降のものはBlock"512"	95
			10174844	0	<10174844>I9 Ground Loc横向き×2 木パしなしでok	341
			20172750	21209	<20172750 sup 21209 FIFO>D/Sが1238以降のものはBlock"512"	368
			20174848	0	<20174848>I9 Ground Loc横向き×2 木パしなしでok	342
			20211723	13867	<20211723 sup 13867 FIFO>D/Sが1218以降のものはBlock"512"	284
			20211761	19426	<20211761 sup 19426 FIFO>D/Sが1218以降のものはBlock"512"	283
			20228752	22198	<20228752メジャーしてください>セントラル E0, ローカル E7?	111
			30098608	21633	<30098608 sup 21633 FIFO>D/Sが1101以降のものはBlock"512"	17
			30174739	0	<30174739>I9 Ground Loc横向き×2 木パしなしでok	343
			30180009	21867	<30180009 sup 21867 FIFO>D/Sが1218以降のものはBlock"512"	313
			30207122	12702	<30207122 sup 12702 FIFO>D/Sが1244以降のものはBlock"512"	369
			40164122	10140	<40164122 sup 10140 FIFO>D/Sが1222以降のものはBlock"512"	280
			40164122	11124	<40164122 sup 11124 FIFO>D/Sが1222以降のものはBlock"512"	279
			40224734	20118	<40224734 sup 20118 FIFO>D/Sが1218以降のものはBlock"512"	303
			50169794	12650	<50169794 sup 12650 FIFO>D/Sが1238以降のものはBlock"512"	370
			50179972	21867	<50179972 sup 21867 FIFO>D/Sが1218以降のものはBlock"512"	305
			50190088	20118	<50190088 sup 20118 FIFO>D/Sが1218以降のものはBlock"512"	293



# Yatomi DC 043 - Inbound Planning Tool

[Home](#)[Source Data](#)[Quality](#)[Bad Supplier](#)[Comments](#)[Report](#)

Container	Report Typ	Delivery D	Delivery Time	ETA	Free Time	Customs C	Carrier	Shipment	NEW	Consignme	NEW	Size	Seal Numb	Volume
MSKU1852	Booking Request			6-Dec		6-Dec	MCC TRAN	030TSOS2	N	22310SUPECIS0183		C40HC	ML-CN725	No CNE
										22310SUP N				
MSKU9587	Booking Request			6-Dec		6-Dec	MCC TRAN	030TSOS2	N	21386SUPECIS11136		C40HC	ML-CN727	No CNE
										21386SUP N				
POCU7007	Booking Request			6-Dec		6-Dec	MCC TRAN	030TSOS2	N	22310SUPECIS0186		C40HC	ML-CN73C	No CNE
										22310SUP N				
UESU4637	Booking Request			6-Dec		6-Dec	MCC TRAN	959CPS97	N	13080SUPMOLT J100		C40HC	ML-CN727	No CNE
										13080SUP N				
										15028SUP N				
										15028SUP N				
										16228SUP N				
										22310SUP N				
MRKU3136	Booking Request			6-Dec		6-Dec	MCC TRAN	989CPS27	N	17389SUPECIS7923/		C40HC	ML-CN583	No CNE
										17389SUP N				
										17389SUP N				
										20325SUP N				
										20799SUP N				
										20848SUP N				
										21219SUP N				
MSKU0968	Booking Request			6-Dec		6-Dec	MCC TRAN	989CPS27	N	15621SUPECIS17792		C40HC	ML-CN583	No CNE
										15621SUP N				
										18911SUP N				
										18911SUP N				
										20689SUP N				
										20922SUP N				
										22315SUP N				

```

Private Sub H2_Click()
DoCmd.OpenForm "4000:SourceData"
End Sub
Private Sub H3_Click()
DoCmd.OpenForm "1000:Quality"
End Sub
Private Sub H4_Click()
DoCmd.OpenForm "2000:BadSupplier"
End Sub
Private Sub H5_Click()
DoCmd.OpenForm "3000:Comments"
End Sub
Private Sub H6_Click()
DoCmd.OpenForm "5000:Report"
End Sub
Private Sub Command28_Click()
' =====
' DO NOT ADD TO THIS CODE!!!
' PLEASE REBUILD THE ENTIRE DATABASE
' THERE ARE TOO MANY FIXES AND THE
' PROGRAM NEEDS A COMPLETE REBUILD.
' =====
Dim appExcel As Excel.Application
Dim wbk As Excel.Workbook
Dim wks As Excel.Worksheet
Dim db As DAO.Database
Dim rs1, rs2, rs3 As DAO.Recordset
Dim i, SQL1, SQL2, SQL3 As String
Dim strWorkCSM As String
Dim intCSM As Integer
Dim intCount As Integer
DoCmd.SetWarnings False
Set appExcel = Excel.Application
Set wbk =
appExcel.Workbooks.Open("\\DSJP043-NT5100.ikea.com\Common\Common_Ops\Logistics\Superuser\Reports\KON-BookingRequest\Data\Sankyu-ContainerArrival.xls")
Set wks = appExcel.Worksheets("OVER VIEW")
appExcel.Visible = True
If Sheets("OVER VIEW").Cells(3, 1) = "Sankyu No" Then

```

```
Rows("1:2").Select
Selection.Delete Shift:=xlUp
End If
Sheets("OVER VIEW").Cells(1, 2).Value = "Ocean Vessel"
Sheets("OVER VIEW").Cells(1, 3).Value = "SCAC"
Sheets("OVER VIEW").Cells(1, 4).Value = "Carrier"
Sheets("OVER VIEW").Cells(1, 5).Value = "Voy No"
Sheets("OVER VIEW").Cells(1, 6).Value = "Invoice No"
Sheets("OVER VIEW").Cells(1, 7).Value = "Consignor"
Sheets("OVER VIEW").Cells(1, 8).Value = "Consignee"
Sheets("OVER VIEW").Cells(1, 9).Value = "Range/IMS"
Sheets("OVER VIEW").Cells(1, 10).Value = "B/L No"
Sheets("OVER VIEW").Cells(1, 11).Value = "Van No"
Sheets("OVER VIEW").Cells(1, 12).Value = "Size"
Sheets("OVER VIEW").Cells(1, 13).Value = "Seal No"
Sheets("OVER VIEW").Cells(1, 14).Value = "ETA"
Sheets("OVER VIEW").Cells(1, 15).Value = "Arrived Date"
Sheets("OVER VIEW").Cells(1, 16).Value = "Discharging Completion"
Sheets("OVER VIEW").Cells(1, 17).Value = "Free Time"
Sheets("OVER VIEW").Cells(1, 18).Value = "Days of Demurrage"
Sheets("OVER VIEW").Cells(1, 19).Value = "I"
Sheets("OVER VIEW").Cells(1, 20).Value = "A"
Sheets("OVER VIEW").Cells(1, 21).Value = "SWB"
Sheets("OVER VIEW").Cells(1, 22).Value = "D/O"
Sheets("OVER VIEW").Cells(1, 23).Value = "Customes clearance date"
Sheets("OVER VIEW").Cells(1, 24).Value = "Custom Inspection"
Sheets("OVER VIEW").Cells(1, 25).Value = "X-Ray Check"
Sheets("OVER VIEW").Cells(1, 26).Value = "Target Date"
Sheets("OVER VIEW").Cells(1, 27).Value = "Delivery Date"
Sheets("OVER VIEW").Cells(1, 28).Value = "Time"
Sheets("OVER VIEW").Cells(1, 29).Value = "Delivery Order"
Sheets("OVER VIEW").Cells(1, 30).Value = "F/T Excess Days"
Sheets("OVER VIEW").Cells(1, 31).Value = "SANKYU'S Off-Dock IN"
Sheets("OVER VIEW").Cells(1, 32).Value = "SANKYU'S Off-Dock OUT"
Sheets("OVER VIEW").Cells(1, 33).Value = "SANKYU'S Off-Dock DAYS"
Sheets("OVER VIEW").Cells(1, 34).Value = "SANKYU'S Off-Dock CHARGE"
Sheets("OVER VIEW").Cells(1, 35).Value = "Over F/T Container"
Sheets("OVER VIEW").Cells(1, 36).Value = "Remarks1"
```







Cells(i, 13).Value = "Size"  
Cells(i, 14).Value = "Seal Number"  
Cells(i, 15).Value = "Volume"  
Cells(i, 16).Value = "Quality"  
Cells(i, 17).Value = "Bad Supplier"  
Cells(i, 18).Value = "Comments"  
Cells(i, 19).Value = "Priority"  
Cells(i, 20).Value = "Transit"  
Cells(i, 21).Value = "Trans"  
Cells(i, 22).Value = "Half"  
Cells(i, 23).Value = "Euro"  
Cells(i, 24).Value = "Ikea"  
Cells(i, 25).Value = "Conv"  
Cells(i, 26).Value = "Silo"  
Cells(i, 27).Value = "Non-Transit"  
Cells(i, 28).Value = "Total"  
Cells(i, 29).Value = "Half"  
Cells(i, 30).Value = "Euro"  
Cells(i, 31).Value = "IKEA"  
Cells(i, 32).Value = "New"  
Cells(i, 33).Value = "Total"  
Cells(i, 34).Value = "CNS"  
Cells(i, 35).Value = "GTS"  
Cells(i, 36).Value = "SANKYU"

```
SQL1 = "SELECT SYS_REPORT.ReportType, Iff([Customes clearance date] Is Null,0,1) AS ccd, SYS_REPORT.GoodsFlowPrio, SYS_REPORT.CNS_Container,
SYS_REPORT.CNS_Consignment, SYS_REPORT.[Delivery Date], SYS_REPORT.Time, SYS_REPORT.ETA, SYS_REPORT.[Free Time], SYS_REPORT.[Customes clearance date],
SYS_REPORT.Carrier, SYS_REPORT.CNS_Shipment, SYS_REPORT.New_CSM_id, SYS_REPORT.Size, SYS_REPORT.[Seal No], SYS_REPORT.Volume, SYS_REPORT.MyTransit,
SYS_REPORT.PTransit, SYS_REPORT.PH, SYS_REPORT.PE, SYS_REPORT.PI, SYS_REPORT.PConv, SYS_REPORT.PSilo, SYS_REPORT.[PNon-Transit], SYS_REPORT.PTotal,
SYS_REPORT.AH, SYS_REPORT.AE, SYS_REPORT.AI, SYS_REPORT.AT, SYS_REPORT.CNS_DATA, SYS_REPORT.SANKYU_DATA, SYS_REPORT.GTS_DATA, Iff([QType]='','N','Y') AS
Q, SYS_REPORT.QType, SYS_REPORT.QInfo, SYS_REPORT.QCode, SYS_REPORT.QDesc, SYS_REPORT.NewCont, SYS_REPORT.NewConsign, SYS_REPORT.NewArt " & _
"FROM SYS_REPORT " & _
"GROUP BY SYS_REPORT.ReportType, SYS_REPORT.GoodsFlowPrio, SYS_REPORT.CNS_Container, SYS_REPORT.CNS_Consignment, SYS_REPORT.[Delivery Date],
SYS_REPORT.Time, SYS_REPORT.ETA, SYS_REPORT.[Free Time], SYS_REPORT.[Customes clearance date], SYS_REPORT.Carrier, SYS_REPORT.CNS_Shipment,
SYS_REPORT.New_CSM_id, SYS_REPORT.Size, SYS_REPORT.[Seal No], SYS_REPORT.Volume, SYS_REPORT.MyTransit, SYS_REPORT.PTransit, SYS_REPORT.PH,
SYS_REPORT.PE, SYS_REPORT.PI, SYS_REPORT.PConv, SYS_REPORT.PSilo, SYS_REPORT.[PNon-Transit], SYS_REPORT.PTotal, SYS_REPORT.AH, SYS_REPORT.AE,
SYS_REPORT.AI, SYS_REPORT.AT, SYS_REPORT.CNS_DATA, SYS_REPORT.SANKYU_DATA, SYS_REPORT.GTS_DATA, SYS_REPORT.QType, SYS_REPORT.QInfo,
SYS_REPORT.QCode, SYS_REPORT.QDesc, SYS_REPORT.NewCont, SYS_REPORT.NewConsign, SYS_REPORT.NewArt " & _
```

```
"ORDER BY SYS_REPORT.ReportType, IIf([Customes clearance date] Is Null,0,1) DESC , SYS_REPORT.GoodsFlowPrio, SYS_REPORT.CNS_Container,
SYS_REPORT.CNS_Consignment;"
Set db = CurrentDb
Set rs1 = db.OpenRecordset(SQL1, dbOpenSnapshot)
Dim strMyTransit As String
strMyTransit = "N"
intCSM = 0
i = 3
ii = i - 1
b1 = 0
v1 = 0
v2 = 0
v3 = 0
v4 = 0
v5 = 0
v6 = 0
v7 = 0
v8 = 0
v9 = 0
v10 = 0
v11 = 0
v12 = 0
v13 = 0
rs1.MoveFirst
Do Until rs1.EOF
If my_container <> (" " & rs1("CNS_Container")) And b1 = 1 Then
rs1.MovePrevious
Cells(ii, 1).Value = rs1("CNS_Container")
Cells(ii, 2).Value = rs1("ReportType")
Cells(ii, 3).Value = Format(rs1("[Delivery Date]"), "mm-dd")
Cells(ii, 4).Value = Format(rs1("Time"), "hh:nn")
Cells(ii, 5).Value = Format(rs1("ETA"), "mm-dd")
Cells(ii, 6).Value = Format(rs1("[Free Time]"), "mm-dd")
Cells(ii, 7).Value = Format(rs1("[Customes clearance date]"), "mm-dd")
Cells(ii, 8).Value = rs1("carrier")
Cells(ii, 9).Value = rs1("CNS_Shipment")
Cells(ii, 10).Value = rs1("NewCont")
Cells(ii, 12).Value = ""
```

```
Cells(ii, 13).Value = rs1("Size")
Cells(ii, 14).Value = rs1("[seal no]")
Cells(ii, 15).Value = rs1("Volume")
Cells(ii, 16).Value = rs1("QCode") & " - " & rs1("QDesc")
Cells(ii, 19).Value = rs1("GoodsFlowPrio")
Cells(ii, 20).Value = strMyTransit
Cells(ii, 21).Value = v1
Cells(ii, 22).Value = v2
Cells(ii, 23).Value = v3
Cells(ii, 24).Value = v4
Cells(ii, 25).Value = v5
Cells(ii, 26).Value = v6
Cells(ii, 27).Value = v7
Cells(ii, 28).Value = v1 + v7
Cells(ii, 29).Value = v9
Cells(ii, 30).Value = v10
Cells(ii, 31).Value = v11
Cells(ii, 32).Value = v12
Cells(ii, 33).Value = v13
Cells(ii, 34).Value = rs1("CNS_DATA")
Cells(ii, 35).Value = rs1("GTS_DATA")
Cells(ii, 36).Value = rs1("SANKYU_DATA")
Rows(ii & ":" & ii).Select
Range("T" & ii).Activate
With Selection.Interior
.ColorIndex = 35
.Pattern = xlSolid
End With
strMyTransit = "N"
intCSM = 0
ii = i
i = i + 1
v1 = 0
v2 = 0
v3 = 0
v4 = 0
v5 = 0
v6 = 0
```

```

v7 = 0
v8 = 0
v9 = 0
v10 = 0
v11 = 0
v12 = 0
v13 = 0
rs1.MoveNext
my_container = "" & rs1("CNS_Container")
Else
Cells(i, 11).Value = rs1("CNS_Consignment")
If Nz(Cells(ii, 11).Value, "") = "" Then
Cells(ii, 11).Value = rs1("CNS_Consignment")
Else
Cells(ii, 11).Value = Cells(ii, 11).Value & "/" & rs1("CNS_Consignment")
End If
Cells(i, 12).Value = rs1("NewConsign")
Cells(i, 16).Value = rs1("QCode") & " - " & rs1("QDesc")
On Error Resume Next
SQL2 = "SELECT SYS_REPORT.CNS_Consignment, SYS_REPORT.BadSupplier, SYS_REPORT.BadDesc " & _
"FROM SYS_REPORT " & _
"GROUP BY SYS_REPORT.CNS_Consignment, SYS_REPORT.BadSupplier, SYS_REPORT.BadDesc " & _
"HAVING (((SYS_REPORT.CNS_Consignment)<>" & rs1("CNS_Consignment") & "")) AND ((SYS_REPORT.BadSupplier)='Y')) " & _
"ORDER BY SYS_REPORT.CNS_Consignment;"
Set db2 = CurrentDb
Set rs2 = db2.OpenRecordset(SQL2, dbOpenSnapshot)
rs2.MoveFirst
Do Until rs2.EOF
If rs2("BadSupplier").Value = "Y" Then
Cells(i, 17).Value = rs2("BadSupplier").Value & ":" & rs2("BadDesc").Value & " "
End If
rs2.MoveNext
Loop
rs2.Close
Set rs2 = Nothing
Andy = ""
SQL2 = "SELECT SYS_REPORT.CNS_Container, SYS_REPORT.ComDesc " & _
"FROM SYS_REPORT " & _

```

```

"GROUP BY SYS_REPORT.CNS_Container, SYS_REPORT.ComDesc " & _
"HAVING (((SYS_REPORT.CNS_Container) <> " & rs1("CNS_Container") & "")) And ((SYS_REPORT.ComDesc <> "")) " & _
"ORDER BY SYS_REPORT.CNS_Container;"
Set db2 = CurrentDb
Set rs2 = db2.OpenRecordset(SQL2, dbOpenSnapshot)
rs2.MoveFirst
Do Until rs2.EOF
Andy = Andy & rs2("ComDesc") & " / "
rs2.MoveNext
Loop
rs2.Close
Set rs2 = Nothing
Cells(ii, 18).Value = Andy
Andy = ""
Cells(i, 19).Value = rs1("GoodsFlowPrio")
Cells(i, 20).Value = rs1("MyTransit")
If strMyTransit = "N" And rs1("MyTransit") = "Y" Then
strMyTransit = "Y"
End If
Cells(i, 21).Value = Nz(rs1("PTransit"), 0)
Cells(i, 22).Value = Nz(rs1("PH"), 0)
Cells(i, 23).Value = Nz(rs1("PE"), 0)
Cells(i, 24).Value = Nz(rs1("PI"), 0)
Cells(i, 25).Value = Nz(rs1("PConv"), 0)
Cells(i, 26).Value = Nz(rs1("PSilo"), 0)
Cells(i, 27).Value = Nz(rs1("[PNon-Transit]"), 0)
Cells(i, 29).Value = Nz(rs1("AH"), 0)
Cells(i, 30).Value = Nz(rs1("AE"), 0)
Cells(i, 31).Value = Nz(rs1("AI"), 0)
Cells(i, 32).Value = Nz(rs1("NewArt"), 0)
Cells(i, 33).Value = Nz(rs1("AT"), 0)
If InStr(1, Nz(rs1("GTS_DATA")), "No Consignment") Then
Cells(i, 35).Value = Nz(rs1("GTS_DATA"), 0)
End If
v1 = v1 + Nz(rs1("PTransit"), 0)
v2 = v2 + Nz(rs1("PH"), 0)
v3 = v3 + Nz(rs1("PE"), 0)
v4 = v4 + Nz(rs1("PI"), 0)

```

```
v5 = v5 + Nz(rs1("PConv"), 0)
v6 = v6 + Nz(rs1("PSilo"), 0)
v7 = v7 + Nz(rs1("[PNon-Transit]"), 0)
v9 = v9 + Nz(rs1("AH"), 0)
v10 = v10 + Nz(rs1("AE"), 0)
v11 = v11 + Nz(rs1("AI"), 0)
v12 = v12 + Nz(rs1("NewArt"), 0)
v13 = v13 + Nz(rs1("AT"), 0)
b1 = 1
i = i + 1
my_container = "" & rs1("CNS_Container")
rs1.MoveNext
End If
Loop
rs1.MovePrevious
Cells(ii, 1).Value = rs1("CNS_Container")
Cells(ii, 2).Value = rs1("ReportType")
Cells(ii, 3).Value = Format(rs1("[Delivery Date]"), "mm-dd")
Cells(ii, 4).Value = Format(rs1("Time"), "hh:nn")
Cells(ii, 5).Value = Format(rs1("ETA"), "mm-dd")
Cells(ii, 6).Value = Format(rs1("[Free Time]"), "mm-dd")
Cells(ii, 7).Value = Format(rs1("[Customes clearance date]"), "mm-dd")
Cells(ii, 8).Value = rs1("carrier")
Cells(ii, 9).Value = rs1("CNS_Shipment")
Cells(ii, 10).Value = rs1("NewCont")
Cells(ii, 12).Value = ""
Cells(ii, 13).Value = rs1("Size")
Cells(ii, 14).Value = rs1("[seal no]")
Cells(ii, 15).Value = rs1("Volume")
Cells(ii, 16).Value = rs1("QCode") & " - " & rs1("QDesc")
Cells(ii, 17).Value = Andy2
Cells(ii, 19).Value = rs1("GoodsFlowPrio")
Cells(ii, 20).Value = strMyTransit
Cells(ii, 21).Value = v1
Cells(ii, 22).Value = v2
Cells(ii, 23).Value = v3
Cells(ii, 24).Value = v4
Cells(ii, 25).Value = v5
```



```
Cells(ii, 26).Value = v6
Cells(ii, 27).Value = v7
Cells(ii, 28).Value = v1 + v7
Cells(ii, 29).Value = v9
Cells(ii, 30).Value = v10
Cells(ii, 31).Value = v11
Cells(ii, 32).Value = v12
Cells(ii, 33).Value = v13
Cells(ii, 34).Value = rs1("CNS_DATA")
If strGTSdata = "" Then
strGTSdata = "Y"
End If
Cells(ii, 35).Value = strGTSdata
Cells(ii, 36).Value = rs1("SANKYU_DATA")
Rows(ii & ":" & ii).Select
Range("T" & ii).Activate
With Selection.Interior
.ColorIndex = 35
.Pattern = xlSolid
End With
ii = i
i = i + 1
v1 = 0
v2 = 0
v3 = 0
v4 = 0
v5 = 0
v6 = 0
v7 = 0
v8 = 0
v9 = 0
v10 = 0
v11 = 0
v12 = 0
v13 = 0
rs1.MoveNext
rs1.Close
Set rs1 = Nothing
```

```
wbk.SaveAs ("\\DSJP043-NT5100.ikea.com\Common\Common_Ops\Logistics\Superuser\Reports\KON-BookingRequest\Archive\" & Format(Now(), "yymmdd") &
 "_InboundPlanning-043.xls")
wbk.Close
appExcel.Quit
Set wks = Nothing
Set wbk = Nothing
Set appExcel = Nothing
DoCmd.SetWarnings True
End Sub
```